

C:\Program Files\AudieTech\CPP\CHEATR I1822.CPP

		Lift	Dur.	Open	Close	Area
Lobe	E1					
Centerline	118.4 BTDC	0.006	294.1	81.8 BBDC	32.3 ATDC	27.25
.050 Lift C/L	119.6 BTDC	0.020	262.6	70.4 BBDC	12.3 ATDC	27.05
Run out	0.00150	0.050	232.6	56.0 BBDC	3.3 BTDC	26.51
Peak Open Acc.	-0.000335	0.100	199.7	39.1 BBDC	19.4 BTDC	25.25
Peak Nose Acc.	0.000335	0.150	172.1	25.0 BBDC	32.9 BTDC	23.48
Peak Close Acc.	0.000364	0.200	145.1	11.4 BBDC	46.3 BTDC	21.26
Lift @ TDC	0.0419	0.250	115.3	3.5 ABDC	61.2 BTDC	17.65
Minimum Flat		0.300	77.2	22.6 ABDC	80.2 BTDC	12.64
Follower Dia.	0.8527	0.34066		--- Peak Lift ---		

C:\Program Files\AudieTech\CPP\CHEATR I1822.CPP

		Lift	Dur.	Open	Close	Area
Lobe	I1					
Centerline	118.4 ATDC	0.006	266.9	13.5 BTDC	73.4 ABDC	26.53
.050 Lift C/L	118.3 ATDC	0.020	242.6	2.6 BTDC	60.1 ABDC	26.37
Run out	0.000400	0.050	215.7	10.5 ATDC	46.3 ABDC	25.88
Peak Open Acc.	0.000463	0.100	187.6	24.5 ATDC	32.0 ABDC	24.80
Peak Close Acc.	-0.000325	0.150	164.8	35.9 ATDC	20.7 ABDC	23.48
Peak Close Acc.	0.000433	0.200	142.2	47.2 ATDC	9.5 ABDC	21.50
Lift @ TDC	0.0246	0.250	116.6	60.1 ATDC	3.4 BBDC	18.61
Minimum Flat		0.300	83.9	76.4 ATDC	19.7 BBDC	13.79
Follower Dia.	1.0309	0.350	22.6	107.2 ATDC	50.2 BBDC	3.98
		0.35342		--- Peak Lift ---		



Custom Camshaft

Duration @ .050: Intake 215.7 Exhaust 232.6
 Valve Lift w/ 1.7 rockers: Intake .601 Exhaust .579
 Lobe Separation Angle: 118.4
 Cam Checked By: Jonathan SN: I 1822